2257

R/V DAN MOORE STATION LOG

VESSEL (1)	STATION (2-5)	CRUISE NO. (6-8)	MO. DAY YEAR (9-14)	GRID (15-17)	LATITUDE (18-21)	LONGITUDE (22-25)
M	2250	032	03 16 73	28AF	3552	7525

DEPTH (26-29)	SUR. TEMP. (30-31)	BTM TEMP. (32-33)	AIR TEMP (34-35)	BAROMETER (36-38)	BT (39)	WIND DIR. (40-41)	WIND SPD. (42-43)
0012	09	—	14	007	N	SW	10

S.C. (44)	WEA. (45-46)	BTM TYPE (47-48)	BTM REG (49)	GEAR TYPE (50-51)	GEAR SIZE (52-54)	OP (55)	TM. START (56-57)	MIN. FISHED (58-60)
1	FG	SA	E	FT	181	—	09	030

RIG (61-62)	TOTAL FINFISH (63-67)	TOTAL CRUSTACEANS (68-71)	TOTAL SHELLFISH (72-75)	TOTAL OTHER (76-80)
01	00395	—	—	—

RIG (61-62)	TOTAL FINFISH (63-67)	TOTAL CRUSTACEANS (68-71)	TOTAL SHELLFISH (72-75)	TOTAL OTHER (76-80)
—	—	—	—	—

POSITION	LATITUDE	LONGITUDE	LORAN		DEPTH fms	C/C	TIME ON STATION	
			3H4	3H5			PO	DO
START	35° 52'	75° 25'	1445	2959	12		0911	0912
							PU	ON
FINISH	35° 54'	75° 25'	1461	2963	10		0942	0945

LENGTH WARF	SHIFT RPM	PITCH	GEAR DATA:
100	1550 2 / 5	50	

SPECIAL MODIFICATIONS

OPERATIONAL COMMENTS

Recorded on Ross

OBSERVATIONS

Positive

2249 + 2250

1145 BB, 18A tagged

Digitized by the Internet Archive
in 2017 with funding from
IMLS LG-70-15-0138-15

https://archive.org/details/danmoore225000unse

R/V DAN MOORE SPECIES LIST - FINFISH

STATION NUMBER 2250

CODE	SPECIES	NO.	WEIGHT	SIZE	
	Alosa aestivalis	30	300		
	Alosa pseudoharengus	3	30		
	Alosa sapidissima				
	Bairdella chrysura				
	Brevoortia tyrannus				
	Carcharias taurus				
	Centropristes straitus				
	Centropristes philadelphicus				
	Citharichthys arctifrons				
	Clupea harengus	5	10		
	Cynoscion nebulosus				
	Cynoscion regalis				
	Etrumeus sadina				
	Lagodon rhomboides				
	Larimus fasciatus				
	Leiostomus xanthurus				
	Lophius americanus				
	Menticirrhus americanus				
	Menticirrhus littoralis				
	Menticirrhus saxatilis				
	Micropogon undulatus				
	Monocanthus hispidus				
	Mustelus canis				
	Orthopristis chrysopterus				
	Paralichthys dentatus				
	Paralichthys lethostigma				
	Peprilus alepidotus				
	Peprilus paru				
	Pomatomous saltatrix				
	Poronotus triacanthus				
	Prionotus carolinus				
	Prionotus evolans				
	Raja eglanteria				
	Raja erinacea				
	Raja garmani				
	Roccus saxatilis				
	Scomberomorous cavalla				
	Scomberomorous maculatus				
	Sphaeroides maculatus				
	Stenotomus chrysops				
	Synodus foetens				
	Squalus acanthias	1	2		
	Squatina dumerili				
	Urophycis regius				

ANADROMOUS FISH TAGGING & RELEASE DATA

Station No. 2249 + 2250

Date 3/16/73

Area of Release Ocean Inlet

LORAN Start 3H4 1445 3H5 2959

Finish 1461 2963

Tot. Fish Captured 3350 (3100 BB, 250 AL)

Tot. Fish Tagged 1160 (1145 BB, 15 AL)

No. Retained for analysis 153 (141 BB) (11 AL) (1 Atms)

Gear Type 181' Smith

TAG. NO.	Weight Lbs.	Weight Ozs.	F.L. (cm)	Species	Remarks
					Released
				Bluebacks	B 13714 – 13739
					broken – 13737
					13932 + 13954 + 13955
					14222 + 14234 + 14236
					Holland
				Bluebacks	B 21241 – B 21844
				ALEWIFE	B 21845 – B 21859
					broken – 21357
				21358 – 21365	21358 + 21359 +
				@	B 21455 + 21470 + 21479
					21564 + 21626 + 21649 + 21741

Blue Mack

Station	Date	FL Length (mm)	Weight (g)	Sex	Scales	Age	Spawning Marks	✓	#
2222 ✓	3/9/73	271	266	♀ II	✓	unreadable	—		109
〃	〃	244	212	♂	—	—	—		110
〃	〃	250	227	♀ II	—	—	—		111
〃	〃	249	228	♀ III	—	—	—		112
〃	〃	236	206	♂	—	—	—		113
〃	〃	261	256	♂	—	—	—		114
〃	〃	272	280	♀ III	—	—	—		115
〃	〃	260	255	♂	✓	UNreadable	—		116
〃	〃	217	116	♀ I	—	—	—		117
〃	〃	228	170	♂	✓	regenerated	—		118
〃	〃	283	322	♀ II	—	—	—		119
〃	〃	210	138	♂	—	—	—		120
〃	〃	250	235	♂	✓	5A-2S+.8	2		121
〃	〃	221	187	♂	—	—	—		122
〃	〃	229	177	♂	—	—	—		123
〃	〃	265	280	♀ III	—	—	—		124
〃	〃	227	168	♂	—	—	—		125
〃	〃	240	152	♀ I	✓	5A-1S+.7	1		126
〃	〃	224	158	♂	—	—	—		127
〃	〃	210	97	♂	—	—	—		128
〃	〃	266	261	♀ II	—	—	—		129
〃	〃	212	125	♀ I	—	—	—		130
2250 ✓	3/16/73	236	194	♂	—	—	—		131
〃	〃	250	244	♀ II	—	—	—		132
〃	〃	237	182	♂	✓	4A-1S+.6	1		133
〃	〃	274	314	♀ III	✓	UNreadable	—		134
〃	〃	239	204	♂	—	—	—		135
〃	〃	229	170	♂	—	—	—		136
〃	〃	241	209	♂	—	—	—		137
〃	〃	234	201	♂	—	—	—		138
〃	〃	263	279	♀ III	—	—	—		139
〃	〃	245	246	♂	—	—	—		140
〃	〃	241 ✓	224	♂	—	—	—		141
〃	〃	255	222	♂	—	—	—		142
〃	〃	245	230	♀ III	—	—	—		143
〃	〃	228	142	♂	—	—	—		144
〃	〃	231	189	♂	—	—	—		145
〃	〃	210	123	♀ I	—	—	—		146
〃	〃	242	207	♂	—	—	—		147
〃	〃	235	200	♂	—	—	—		148
〃	〃	232	192	♂	—	—	—		149
〃	〃	232	193	♂	—	—	—		150
〃	〃	213	130	♂	—	—	—		151
〃	〃	280	296	♀ II	—	—	—		152
〃	〃	243	232	♂	—	—	—		153
〃	〃	214	128	♂	—	—	—		154
〃	〃	238	216	♂	—	—	—		155
〃	〃	243	220	♂	—	—	—		156
〃	〃	200	119	♂	✓	4A+=5	0		157
〃	〃	231	175	♂	—	—	—		158
〃	〃	228	157	♂	—	—	—		159
〃	〃	260	277	♀ III	✓	UNreadable	—		160
〃	〃	209	128	♂	—	—	—		161
〃	〃	254 ✓	233	♀ II	—	—	—		162

Blue back

STATION	DATE	FL length (mm)	weight (g)	SEX	SCALES	AGE	SPAWNING MARKS	#
2250	3/16/73	241	192	♂	—	—	—	163
〃	〃	245	213	♀ II	—	—	—	164
〃	〃	239	211	♂	—	—	—	165
〃	〃	258	260	♀ II	—	—	—	166
〃	〃	234	197	♂	—	—	—	167
〃	〃	230	189	♂	—	—	—	168
〃	〃	258	271	♀ II	—	—	—	169
〃	〃	240	212	♂	✓	UNreadable	—	170
〃	〃	212	109	♀ IM	—	—	—	171
〃	〃	256	254	♀ II	✓	4A-2S+=7	2	172
〃	〃	232	181	♀ II	—	—	—	173
〃	〃	238	208	♂	✓	3A-2S+=6	2	174
〃	〃	243	236	♂	✓	UNreadable	—	175
〃	〃	229	168	♂	✓	5A+=6	0	176
〃	〃	254	264	♀ II	—	—	—	177
〃	〃	255	250	♀ II	—	—	—	178
〃	〃	233	184	♂	—	—	—	179
〃	〃	247	206	♀ I	—	—	—	180
〃	〃	245	207	♀ II	—	—	—	181
〃	〃	250	180	♂	—	—	—	182
〃	〃	226	148	♂	—	—	—	183
〃	〃	246	245	♀ II	—	—	—	184
〃	〃	245	216	♂	—	—	—	185
〃	〃	228	181	♀ II	—	—	—	186
〃	〃	247	242	♀ I	—	—	—	187
〃	〃	233	207	♂	—	—	—	188
〃	〃	229	189	♀ II	✓	4A+=5	0	189
〃	〃	230	209	♂	—	—	—	190
〃	〃	236	219	♂	✓	5A+=6	0	191
〃	〃	247	239	♀ II	—	—	—	192
〃	〃	233	180	♂	—	—	—	193
〃	〃	242	210	♂	—	—	—	194
〃	〃	256	257	♀ II	—	—	—	195
〃	〃	262	280	♀ III	✓	5A+=6	0	196
〃	〃	234	219	♂	✓	3A-2S+=6	2	197
〃	〃	246	232	♂	—	—	—	198
〃	〃	199	113	♂	—	—	—	199
〃	〃	227	189	♂	—	—	—	200
〃	〃	235	187	♀ II	—	—	—	201
〃	〃	232	201	♀ II	—	—	—	202
〃	〃	245	250	♀ III	—	—	—	203
〃	〃	253	253	♂	✓	4A-2S+=7	2	204
〃	〃	219	140	♀ II	—	—	—	205
〃	〃	229	150	♂	—	—	—	206
〃	〃	220	165	♂	—	—	—	207
〃	〃	250	247	♂	—	—	—	208
〃	〃	241	221	♀ II	✓	4A-1S+=6	1	209
2259	3/21/73	246	230	♂	—	NO SCALES	—	210
60	〃	250	220	♂	✓	UNreadable	—	211
〃	〃	250	244	♀ II	—	—	—	212
〃	〃	220	226	♀ I	—	—	—	213
〃	〃	245	138	♀ I	—	—	—	214
〃	〃	235	176	♀ I	—	—	—	215
〃	〃	232	194	♂	—	—	—	216

Blue Rock Marina

STATION	DATE	LENGTH (mm)	(g)					
2220	3/5/73	111	13	—	—	—	—	4
"	"	123	22	—	—	—	—	43
"	"	105	12	—	—	—	—	4
"	"	107	14	—	—	—	—	436
"	"	95	9	—	—	—	—	437
"	"	112	14	—	—	—	—	4
"	"	106	15	—	—	—	—	439
"	"	102	13	—	—	—	—	440
2250 ✓	3/16/73	260	251	♀ III	✓	5A-1S+=7	1	441
"	"	242	180	♂	—	—	—	442
"	"	238	212	♂	—	—	—	447
"	"	214	203	♀ II	—	—	—	444
"	"	236	205	♀ I	—	—	—	445
"	"	214	125	♀ I	—	—	—	446
"	"	223	187	♂	—	—	—	447
"	"	273	290	♀ III	—	—	—	448
"	"	238	179	♂	✓	2A-1S+=4	1	449
"	"	234	204	♀ I	—	—	—	450
"	"	240	178	♂	✓	3A-1S+=5	1	451
"	"	240	208	♂	—	—	—	452
"	"	245	218	♂	—	—	—	453
"	"	260	247	♂	✓	6A-2S+=9	2	454
"	"	265	247	♀ I	—	—	—	455
"	"	223	173	♀ II	✓ Bad	3A-2S+=5	2	456
"	"	240	183	♂	—	—	—	457
"	"	220	145	♂	—	—	—	458
"	"	241	233	♂	✓	3A+=4	0	459
"	"	240	176	♂	✓	3A-1S+=5	1	460
"	"	243	222	♀ II	—	—	—	461
"	"	233	148	♀ II	—	—	—	462
"	"	230	176	♂	—	—	—	463
"	"	200	95	♂	—	—	—	464
"	"	230	84	♂	—	—	—	465
"	"	250	226	♀ III	✓	4A+=5	0	466
"	"	242	210	♂	—	—	—	467
"	"	255	255	♀ III	✓	UNREADABLE	—	468
"	"	240	196	♂	✓	4A-1S+=6	1	469
"	"	250	246	♀ III	✓	2A-2S+=5	2	470
"	"	268	254	♀ III	✓	4A-2S+=7	2	471
"	"	233	176	♂	—	—	—	472
"	"	237	210	♂	✓	4A+=5	0	473
"	"	233	175	♂	—	—	—	474
"	"	220	180	♂	—	—	—	475
"	"	250	292	♀ III	✓	3A-2S+=6	2	476
"	"	226	170	♂	—	—	—	477
"	"	240	208	♂	—	—	—	478
"	"	220	166	♂	—	—	—	479
"	"	242	238	♀ I	—	—	—	480
"	"	235	210	♂	—	—	—	481
"	"	257	242	♀ II	—	—	—	482
"	"	214	139	♂	—	—	—	483
"	"	234	175	♂	✓	UNREADABLE	—	484
"	"	227	170	♂	—	—	—	485
"	"	218 ✓	153	♂	✓	4A+=5	0	486

Blueback Herring

STATION	DATE	length (mm)	weight (g)	sex		scales	Age	spawning marks	#
2250	3/16/73	254	254	♀	II	—	—	—	487
"	"	244	212	♀	II	✓	unreadable	—	488
"	"	248	212	♂		—	—	—	489
"	"	234	193	♂		—	—	—	490
"	"	222	174	♂		✓	4A+=5	0	491
"	"	221	146	♂		—	—	—	492
"	"	148	228	♂		—	—	—	493
"	"	242	220	♂		✓	4A-1St=6	1	494
"	"	236	197	♂		—	—	—	495
"	"	240	201	♀	II	—	—	—	496
"	"	230	180	♂		—	—	—	497
"	"	230	160	♂		—	—	—	498
"	"	273	320	♀	II	—	—	—	499
"	"	247	234	♂		✓	4A-1St=6	1	500
"	"	255	249	♀	III	✓	unreadable	—	501
"	"	246	228	♀	III	✓	4A-1St=6	1	502
2222	3/9/73	225	177	♂		✓	3A+=4	0	503
"	"	280	301	♀	II	✓	unreadable	—	504
"	"	226	181	♂		✓	4A+=5	0	505
"	"	254	257	♀	II	✓	unreadable	—	506
"	"	224	167	♂		✓	5A+=6	—	507
"	"	262	285	♀	III	✓	4A-2St=7	2	508
"	"	257	259	♀	II	✓	4A-2St=7	2	509
"	"	236	222	♂		✓	4A-1St=6	1	510
"	"	235	191	♂		✓	4A-1St=6	1	511
"	"	253	262	♀	II	✓	4A-2St=7	2	512
2217	3/8/73	257	264	♂		✓	unreadable	—	513
"	"	230	201	♂		✓	4A+=5	0	514
"	"	238	226	♂		✓	unreadable	—	515
"	"	270	299	♀	III	✓	No scales	—	516
2219	3/8/73	250	267	♂		✓	unreadable	—	517
"	"	250	272	♀	II	✓	4A-1St=6	1	518
"	"	243	241	♂		✓	unreadable	—	519
"	"	220	158	♂		✓	unreadable		520
"	"	228	184	♂		✓	3A+=4	0	521
2272	4/3/73	272	310	♀	III	✓	4A-3St=8	3	522
"	"	240	205	♂		✓	5A+=6	0	523
"	"	251	212	♂		✓	4A-1St=6	1	524
"	"	260	280	♀	III	✓	4A-3St=8	3	525
"	"	268	300	♀	III	✓	5A-4St=8	4	526
"	"	236	185	♂		✓	4A-1St=6	1	527
"	"	230	180	♂		✓	4A+=5	0	528
"	"	246	218	♀	III	✓	4A-1St=6	1	529
"	"	235	216	♂		✓	5A-2St=6	2	530
"	"	287	362	♀	III	✓	3A-5St=9	5	531
"	"	277	298	♀	II	✓	4A-2St=7	2	532
"	"	280	332	♂		✓	4A-3St=8	3	533
2273	4/3/73	113	17	♀	Im	✓	1A+=2	0	534
"	"	114	18	♀	?Im	✓	1A+=2	0	535
"	"	125	22	♀	Im	✓	1A+=2	0	[illegible]
"	"	150	39	♀	Im	✓	2A+=3	0	[illegible]
2271	4/3/73	257	226	♀	II	✓	unreadable	—	[illegible]
"	"	258	257	♀	II	✓	4A-2St=7	2	539
2274	4/4/73	240	179	♂		✓	5A-3St=9	3	540

ALEWIFE
ALEWIFE

STATION	DATE	LENGTH (mm)	WEIGHT (gms)	SEX	SCALES	AGE	SPAWN MARKS		#
2205 ✓	2/18/73	249	250	♂	✓	4A+=5	O		1
2206 ✓	"	235	250	♀ I	—	—	—		2
"	"	248	260	♀ I	—	—	—		3
"	"	271	270	♂	—	—	—		4
2232 ✓	3/14/73	259	304	♀ III	✓	5A+=6	O		5
3	"	219	166	♂	—	—	—		6
"	"	170	74	♀ IM	—	—	—		7
2222 ✓	3/9/73	213	136	♀ I	—	—	—		8
"	"	225	277	♂	—	—	—		9
"	"	211	135	♂	—	—	—		10
"	"	220	180	♂	—	—	—		11
"	"	212	164	♂	—	—	—		12
"	"	215	155	♂	—	—	—		13
"	"	193	101	♂	—	—	—		14
"	"	200	124	♂	—	—	—		15
"	"	183	79	♂	—	—	—		16
"	"	212	113	♂	—	—	—		17
"	"	196	100	♂	—	—	—		18
"	"	219	138	♀ IM	—	—	—		19
"	"	223	179	♀ III	—	—	—		20
"	"	236	197	♂	✓	NO SCALES	—		21
"	"	245	239	♀ III	✓	4A-1S+=6	1		22
"	"	220	149	♀ I	—	—	—		23
"	"	204	118	♂	—	—	—		24
"	"	186	94	♀ I	—	—	—		25
"	"	218	149	♂	—	—	—		26
"	"	218	164	♂	—	—	—		27
"	"	219	176	♀ III	—	—	—		28
2250 ✓	3/16/73	243	236	♀ III	✓	4A+=5	O		29
"	"	215	141	♂	—	—	—		30
"	"	219 ✓	177	♂	—	—	—		31
"	"	215	141	♀ I	—	—	—		32
"	"	210	150	♂	—	—	—		33
2259 ✓	3/21/73	280	335	♀ III	—	—	—		34
2260 ✓	"	230	196	♀ II	—	—	—		35
"	"	270	322	♀ III	—	—	—		36
"	"	235 ✓	232	♀ III	—	—	—		37
"	"	240	208	♂	—	—	—		38
"	"	233	192	♀ III	✓	4A+=5	O		39
"	"	252 ✓	278	♀ III	✓	5A+=6	O		40
"	"	255	286	♀ III	—	—	—		41
"	"	240	224	♂	—	—	—		42
"	"	240	292	♂	—	—	—		43
"	"	224	154	♂	—	—	—		44
2220 ✓	3/8/73	140	35	♂	—	—	—		45
"	"	170	68	♂	—	—	—		46
"	"	140	42	♂	—	—	—		47
"	"	135	32	♂	—	—	—		48
"	"	123	25	♀ Im	—	—	—		49
"	"	140	38	♀ Im	—	—	—		50
"	"	136	34	♀ Im	—	—	—		51
"	"	138	35	♀ Im	—	—	—		52
"	"	140	36	♂	—	—	—		53
"	"	142 ✓	38	♂	✓	1A+=2	O		54

ALEWIFE

STATION	DATE	LENGTH (MM)	WEIGHT (g)	SEX	SCALES	AGE	SPAWNING MARKS	#
2220	3/8/73	130	28	♂ IM	—	—	—	109
"	"	126	28	♀ IM	—	—	—	110
"	"	135	30	♂	—	—	—	111
"	"	143	38	♀ IM	—	—	—	112
"	"	121	24	♂	—	—	—	113
"	"	137	31	♂	—	—	—	114
"	"	118	22	♂ IM	—	—	—	115
"	"	128	28	♀ IM	—	—	—	116
"	"	122	25	♂	—	—	—	117
"	"	119	22	♀ IM	—	—	—	118
"	"	134	34	♀ IM	—	—	—	119
2250	3/16/73	212	129	♀ II	—	—	—	120
"	"	225	202	♀ II	—	—	—	121
"	"	240	181	♂	—	—	—	122
"	"	218	178	♀ II	—	—	—	123
"	"	177	77	♂	—	—	—	124
"	"	115	25	♂	—	—	—	125
2222	3/9/73	222	182	♂	—	—	—	126
"	"	222	187	♀ II	—	—	—	127
"	"	204	115	♀ I	—	—	—	128
"	"	255	298	♀ III	✓	3A-3S+=7	3	129
"	"	272	299	♀ III	—	—	—	130
"	"	208	129	♀ I	—	—	—	131
"	"	222	169	♂	✓	3A+=4	0	132
"	"	250	219	♂	✓	3A-2S+=6	2	133
"	"	250	280	♂	—	—	—	134
"	"	204	128	♂	—	—	—	135
"	"	213	150	♂	—	—	—	136
"	"	218	162	♂	—	—	—	137
"	"	205	131	♂	—	—	—	138
"	"	250	258	♂	✓	unreadable	—	139
"	"	184	90	♀ IM	—	—	—	140
"	"	213	133	♂	—	—	—	141
"	"	185	97	♂	—	—	—	142
"	"	215	152	♂	—	—	—	143
"	"	225	162	♀ I	—	—	—	144
2212	3/1/73	305	390	♀ IM	—	—	—	145
2211	3/1/73	240	237	♂	—	—	—	146
"	"	214	156	♂	—	—	—	147
RUSSIANS 2210		265	345	♀ III	—	—	—	148
"	"	300	438	♀ III	✓	unreadable	—	149
"	"	258	284	♀ III	✓	unreadable	—	150
"	"	256	308	♀ III	✓	4A-2S+=7	2	151
"	"	156	58	♂	—	—	—	152
"	"	265	328	♀ III	✓	5A=6	0	153
2214		273	362	♀ III	—	—	—	154
2217	3/8/73	210	164	♂	—	—	—	155
"	"	197	104	♂	—	—	—	156
"	"	132	30	♀ IM	—	—	—	157
"	"	121	21	♀ IM	—	—	—	158
"	"	135	33	♂	—	—	—	159
"	"	122	23	♀ IM	—	—	—	160
"	"	128	30	♀ IM	✓	unreadable		161
"	"	128	26	♂	✓	1A+=2	0	162

American Shad

Station	Date	Length (cm)	Weight gms	Sex		Scales	Age	Spawning Marks	#
2236	3/14/73	45.6	1250	♀	III	✓	6-8 Unreadable	2	1
"	"	49.7	2350	♀	III	✓?	4A-1St=6	1	2
"	"	44.9	1200	♂	II	✓	4A-2St=7	2	3
2232	3/14/73	23.7	188	♀	IM	✓?	1A+=2	0	4
53	"	38.1	872	♂	II	✓	4A-4St=9	4	5
2222	3/9/73	14.8	40	♂	IM	—	—	—	6
"	"	23.6	182	♂	IM	—	—	—	7
"	"	24.1	178	♀	I	—	—	—	8
"	"	26.2	218	♂	IM	—	—	—	9
"	"	23.3	180	♀	IM	—	—	—	10
"	"	25.5	209	♀	I	—	—	—	11
2250	3/16/73	20.3	108	♀	IM	—	—	—	12
2222	3/9/73	24.0	192	♀	IM	—	—	—	13
"	"	23.0	156	♂	IM	—	—	—	14
"	"	26.0	230	♀	IM	—	—	—	15
"	"	24.6	198	♀	IM	—	—	—	16
"	"	23.7	186	♀	IM	—	—	—	17
"	"	28.7	340	♀	IM	—	—	—	18
"	"	25.0	215	♂	IM	—	—	—	19
"	"	23.0	162	♂	IM	—	—	—	20
"	"	24.5	210	♀	IM	—	—	—	21
"	"	24.6	200	♀	IM	—	—	—	22
"	"	24.0	196	♀	IM	—	—	—	23
"	"	23.8	208	♂	II	✓	3A+=4	0	24
2212	3/1/73	39.5	1122	♂	III	—	—	—	25
2217	3/8/73	15.3	42	♀	IM	—	—	—	26
"	"	15.0	39	♀	IM	—	—	—	27
"	"	15.7	47	♀	IM	✓	1A=1	0	28
"	"	13.2	26	♀	IM	—	—	—	29
"	"	15.5	46	♀	IM	—	—	—	30
"	"	15.1	43	♀	IM	—	—	—	31
"	"	16.3	49	♀	IM	—	—	—	32
"	"	16.0	52	♀	IM	—	—	—	33
"	"	15.1	42	♀	IM	—	—	—	34
"	"	13.3	28	♀	IM	—	—	—	35
"	"	15.2	52	♀	IM	—	—	—	36
"	"	12.7	23	—		—	—	—	37
"	"	23.1	155	♀	IM	—	—	—	38
"	"	29.5	334	♂	IM	—	—	—	39
2219	3/8/73	26.4	216	♂	IM	—	—	—	40
"	"	25.6	223	♂	II	✓	3A-1St=5	1	41
"	"	22.9	158	♀	IM	—	—	—	42
"	"	22.5	154	♀	IM	—	—	—	43
									44
									45
									46
									47
									48
									49
									50
									51
									52
									53
									54

2257